

# Percentage of people aged 12 and older who self-reported daily or occasionally cigarettes smoking

### **Alternate Name\***

Percentage of people aged 12 and older who self-reported daily or occasionally cigarettes smoking

### INDICATOR DESCRIPTION

### **Description\***

This indicator measures the percentage of people aged 12 and older who report currently smoking cigarettes (daily or occasionally). A lower percentage is better.

### **HQO** Reporting tool/product

Public Reports (annual report, bulletins and theme reports)

### **Dimension\***

Patient-centred

### Type\*

Outcome

### **DEFINITION AND SOURCE INFORMATION**

### **Unit of Measurement\***

Percentage

### **Calculation Methods\***

Numerator divided by denominator times 100

### Numerator (short description i.e. not inclusions/exclusions)\*

The weighted number of respondents who reported current daily or occasional smoking of cigarettes.

### Denominator (short description i.e. not inclusions/exclusions)\*

The weighted number of respondents aged 12 or older that responded to the survey question.

### Adjustment (risk, age/sex standardization)- generalized

Age standardized

### **Data Source**

Canadian Community Heath Survey (CCHS)



# Data provided to HQO by

Statistics Canada

### Reported Levels of comparability /stratifications (defined)

Province

Time

Income

Region

# OTHER RELEVANT INFORMATION

### **Caveats and Limitations**

Because of the significant changes to the survey methodology, Statistics Canada does not recommend making comparisons of the redesigned 2015 cycle of the CCHS with past cycles. As this indicator relies on self-reported data, the true rate might in fact be higher or lower. In addition, the survey coverage excludes: persons living on reserves and other Aboriginal settlements in the provinces; full-time members of the Canadian Forces; the institutionalized population, children aged 12-17 that are living in foster care, and persons living in the Quebec health regions of Région du Nunavik and Région des Terres-Cries-de-la-Baie-James. Altogether, these exclusions represent less than 3% of the Canadian population aged 12 and over.

### **Comments Summary**

A major redesign project that was completed and implemented for the 2015 cycle. The objectives of the redesign were to review the sampling methodology, adopt a new sample frame, modernize the content and review the target population. As a result of the redesign, the 2015 CCHS has a new collection strategy, is drawing the sample from two different frames and has undergone major content revisions. With all these factors taken together, caution should be taken when comparing data from previous cycles to data released for the 2015 cycle onwards. Education stratification analysis is restricted to 25 and older. Proportions and ratios are obtained by summing the final weights of records having the characteristic of the numerator and the denominator, and then dividing the first estimate by the second

### **TAGS**

### **TAGS\***

Other

Outcome

Population Health

Patient-centred

Canadian Community Heath Survey (CCHS)



# **PUBLISH**

# **PUBLISH DATETIME\***

23/02/2021 15:53:00