

Proportion of older adults with frailty (contextual indicator)

Alternate Name*

Proportion of older adults with frailty (contextual indicator)

INDICATOR DESCRIPTION

Description*

Proportion of older adults >65 years of age identified as being frail

HQO Reporting tool/product

Ontario Health Teams: Quality

Dimension*

Patient-centred

Type*

Outcome

DEFINITION AND SOURCE INFORMATION

Unit of Measurement*

Percentage

Calculation Methods*

N/A

Numerator (short description i.e. not inclusions/exclusions)*



All persons:

• With a history of dementia (see Jaakkimainen RL et al. (2016) Identification of physician-diagnosed Alzheimer's disease and related dementias in population-based administrative data: a validation study using family physicians' electronic medical records. Journal of Alzheimer's Disease, 54: 337-349 for codes), or &bull: Residents in a long-term care facility (based on having any record in CCRS in the last 5 years), or &bull: Receiving palliative care services (in the past 1 year) based on: • DAD: ICD-10 codes that begin with Z515, patserv=58, prvserv or inserv=00121 • OHIP: feecodes that begin with A945, K023, G512, G511, B998, B997, K700, B966, B997, B998, G511, C945, C945, C882, C982, E083 (following C982, C882, C122, C123, C124, C142, C143), B966 (billed with B998/B996), K023, B400, C945, C982, G512, Q641,) • NACRS: prvserv or consultserv = 00121 • HCD: src admission, service rpc or src discharge=95, residence type=2000 • RAICA: b2c=1 or b4=12, or • With two or more of the following seven conditions identified in DAD or OHIP: &bull: Cognitive impairment, including dementia and delirium (ICD-10 codes F05X: F050, F051, F058, F059 and ICD-9 codes 293) • Incontinence (ICD-10: R32, R15), • Falls (ICD-10: E9177, E9178, E9293, W01, W05-W19) &bull: Nutritional difficulties (ICD-10: R627, R634, R633, R630, F500, F501, R63, R636, R638, 78322, 7833, 7839). • Functional difficulties (ICD-10: R26, R262, M6250-9, M6281, L89X) • Targeted health service utilization (OHIP specialty 07 with OHIP feecodes W770, W775, W795, A770, A775, A795, C770, C775, C795, E071, E075, E077, E703, DAD patserv 77, OHIP location home with OHIP feecodes B960-4, B966, B986, B987, B988, B990-8)

Decline in general health status (2+ non-elective hospital admissions or unscheduled ED visits in the last year, or malaise, fatigue/debility and/or cachexia diagnoses (ICD-10 R53, G933, R64, ICD-9: 795).

Denominator (short description i.e. not inclusions/exclusions)*

Total population age 66 years or older

Adjustment (risk, age/sex standardization)- generalized

Risk adjusted

Data Source

Home Care Database (HCD)

National Ambulatory Care Reporting System (NACRS)

Ontario Drug Benefit (ODB)

Ontario Health Insurance Plan (OHIP) Claims History Database

Registered Persons Database (RPDB)

Resident Assessment Instrument-HomeCare (RAI-HC) via (LSAS)

Continuing Care Reporting System (CCRS)

Discharge Abstract Database (DAD)

Data provided to HQO by

Institute for Clinical Evaluative Sciences (ICES)



OTHER RELEVANT INFORMATION

Caveats and Limitations

A lower value is desirable for this measure

Comments Summary

OHT Indicator

TAGS

TAGS* Ontario Health Team Outcome Aging Patient-centred Home Care Database (HCD) National Ambulatory Care Reporting System (NACRS) Ontario Drug Benefit (ODB) Ontario Health Insurance Plan (OHIP) Claims History Database Registered Persons Database (RPDB) Resident Assessment Instrument-HomeCare (RAI-HC) via (LSAS) Continuing Care Reporting System (CCRS) Discharge Abstract Database (DAD)

PUBLISH

PUBLISH DATETIME*

10/03/2022 13:43:00