

Antipsychotics for at Least 90 Days: Percentage of residents aged 66 and older diagnosed with dementia, without psychosis, who were prescribed an antipsychotic medication for at least 90 continuous days

Alternate Name*

Antipsychotics for at Least 90 Days: Percentage of residents aged 66 and older diagnosed with dementia, without psychosis, who were prescribed an antipsychotic medication for at least 90 continuous days

INDICATOR DESCRIPTION

Description*

This indicator measures the percentage of Long-Term Care residents diagnosed with dementia but not diagnosed with psychosis, who had an antipsychotic medication dispensed for at least 90 continuous days measured from the last date of contact in the reporting period.

HQO Reporting tool/product

Personalized/Custom Reports (includes Practice Reports)

Dimension*

Patient-centred

Effective

Safe

Type*

Outcome

DEFINITION AND SOURCE INFORMATION

Unit of Measurement*

Percentage

Calculation Methods*

Number of residents with an antipsychotic medication dispensed for at least 90 days divided by the total number of residents who were older than 66 years of age, not new to the Long-Term Care home, not in palliative care, and who were diagnosed with dementia without psychosis. This is multiplied by 100.

Numerator (short description i.e. not inclusions/exclusions)*

Antipsychotics for at Least
90 Days: Percentage of
residents aged 66 and
older diagnosed with
dementia, without

<http://indicatorlibrary.hqontario.ca/Indicator/Summary/LTCPR-AP-90days-dementia/EN>

The number of residents diagnosed with dementia without psychosis who had antipsychotic medications dispensed (with Long-Term Care flag) during 90 days preceding the index date (a resident's last service date in the quarter).

Denominator (short description i.e. not inclusions/exclusions)*

The total number of residents in the OHIP/ODB cohort for the reporting period who are aged 66 years and older, who were diagnosed with dementia, without psychosis, were not new to the Long-Term Care home, and were not in palliative care.

Adjustment (risk, age/sex standardization)- generalized

None

Data Source

Ontario Drug Benefit (ODB)
Ontario Health Insurance Plan (OHIP) Claims History Database
Ontario Mental Health Reporting System (OMHRS)
Registered Persons Database (RPDB)
Physician Database (IPDB)
Discharge Abstract Database (DAD)

Data provided to HQO by

Institute for Clinical Evaluative Sciences (ICES)

Reported Levels of comparability /stratifications (defined)

Province

OTHER RELEVANT INFORMATION

Caveats and Limitations

Due to data limitations, this indicator includes medications dispensed that are prescribed on an as-needed basis (PRN). This indicator is strictly for quality improvement efforts, and is not reportable or for accountability.

TAGS

TAGS*

Long Term Care
Outcome
Other
Patient-centred
Effective
Safe
Ontario Drug Benefit (ODB)

Ontario Health Insurance Plan (OHIP) Claims History Database

Ontario Mental Health Reporting System (OMHRS)

Registered Persons Database (RPDB)

Physician Database (IPDB)

Discharge Abstract Database (DAD)

PUBLISH

PUBLISH DATETIME*

13/04/2017 12:03:00