

End of life, preferred place of death

Alternate Name*

End of life, preferred place of death

INDICATOR DESCRIPTION

Description*

This indicator measures the percentage of palliative/end of life patients who died in their preferred place of death.

HQO Reporting tool/product

Quality Improvement Plans (QIPs)

Dimension*

Patient-centred

Type*

Outcome

DEFINITION AND SOURCE INFORMATION

Unit of Measurement*

Percentage

Calculation Methods*

The percentage is calculated as: numerator divided by denominator times 100.

Numerator (short description i.e. not inclusions/exclusions)*

Number of palliative / end of life patients who died in their preferred place of death. Patient must be discharged with a disposition of death in the period selected.

Denominator (short description i.e. not inclusions/exclusions)*

Number of palliative/ end of life patients whose discharge disposition is death in the reporting period.

Adjustment (risk, age/sex standardization)- generalized

None

Data Source

Client Health and Related Information System (CHRIS)

Data provided to HQO by

Health Shared Services Ontario (HSSO)

OTHER RELEVANT INFORMATION

Comments Summary

This is a QIP priority indicator for 2018/19. QIP current performance reporting period: October 2016 - September 2017
To access your organization's data for the reporting period, refer to Health Quality Ontario's QIP Navigator. Data will be available in February 2018. Alternatively, to access your organization's data for this indicator, refer to CCAC Reporting Portal.

TAGS

TAGS*

Home Care
Outcome
End-of-life / Palliative
Patient-centred
Client Health and Related Information System (CHRIS)

PUBLISH

PUBLISH DATETIME*

22/11/2017 09:10:00