

# Rate of emergency department visits for deliberate self-harm

### **Alternate Name\***

Rate of emergency department visits for deliberate self-harm

## INDICATOR DESCRIPTION

### **Description\***

Number of emergency department visits for deliberate self harm (includes nonfatal self-poisoning or -injury) per 10,000 population 10 years of age and older

# **HQO** Reporting tool/product

Ontario Health Teams: Quality

### **Dimension\***

Patient-centred

### Type\*

Outcome

### **DEFINITION AND SOURCE INFORMATION**

### **Unit of Measurement\***

Rate

### Calculation Methods\*

N/A

# Numerator (short description i.e. not inclusions/exclusions)\*

Total number of ED visits for deliberate self-harm (Secondary diagnosis fields = X60-X84, Y10-Y19, Y28 when primary diagnosis is not F06-F99)

# Denominator (short description i.e. not inclusions/exclusions)\*

Total population aged 10 years and older

# Adjustment (risk, age/sex standardization)- generalized

Risk adjusted

### **Data Source**

National Ambulatory Care Reporting System (NACRS)

Registered Persons Database (RPDB)



# Data provided to HQO by

Institute for Clinical Evaluative Sciences (ICES)

# OTHER RELEVANT INFORMATION

# **Caveats and Limitations**

A lower value is desirable for this indicator

# **TAGS**

### TAGS\*

Ontario Health Team

Outcome

Mental Health and Addiction

Patient-centred

National Ambulatory Care Reporting System (NACRS)

Registered Persons Database (RPDB)

# **PUBLISH**

# **PUBLISH DATETIME\***

10/03/2022 13:44:00